

new

URBAN PLANK

14MM PRE-FINISHED PLANKS



GENUINE
EUROPEAN
OAK

RESIDENTIAL WARRANTY
25
YEAR
heavy

COMMERCIAL WARRANTY
5
YEAR
light

URBAN

THE OF LOOK LUXURY

A COLLATION OF AUTHENTIC COLOURS
TAKE THE NAMES OF THE WORLD MOST
INFLUENTIAL CITIES.

FROM SNOW-DUSTED STOCKHOLME TO THE
HISTORIC GREYS OF LONDON, URBAN PLANK
OFFERS EUROPEAN OAK FLOORING TO THOSE
SEEKING THE LOOK OF LUXURY.

URBAN PLANK POSSESSES THE DESIRABLE
CHARACTERISTICS OF GENUINE TIMBER,
WHILE ENSURING AFFORDABILITY,
ENVIRONMENTAL SUSTAINABILITY AND
ORIGINALITY.

FREE SAMPLES

ORDER ONLINE AT FORTEFLOORING.CO.NZ

 **FREE** 0508 FLOORS

 +64 (0)9 238 9911


 info@forteflooring.co.nz

 www.forteflooring.co.nz

NEW YORK

PLANK





Matching stair nosings available - Enquire within

PLANK



URBAN PLANK

ENGINEERED OAK PLANK | PRE- FINISHED | 14/3MM x 190MM x 1900MM

Urban plank is an engineered flooring system featuring the licenced unilin locking profile. Making it fast and easy to install, the european oak planks come pre-finished ready to be glued down or floated. At 14mm thick with a 3mm hardwearing uv lacquered layer, urban plank can be re-sanded 2-3 times if you wish to refresh your look.

The 3mm wear layer is genuine hardwood timber on a base of hevea strips. These strips work similarly to a cross-directional ply base, providing very strong resistance to shrinkage and cupping, making a strong and durable solid timber floor. This reliable floor is also great for using on feature walls, ceilings and counters.

BENEFITS

EUROPEAN COLOURS | MATTE FINISH

The range features a trending European colour palette

WIDE PLANK

Trending, Visually appealing and versatile



BERGOLIN LACQUER

UV, Hardwearing, durable layer, which gives the product its matte finish. No coating maintenance required



UNILIN LOCKING PROFILE

For easy installation | Glue down and Floating

UNDER-FLOOR HEATING COMPATIBLE

Engineered construction of Urban Plank makes it safe to use with most underfloor heating systems

STABLE ENGINEERED CONSTRUCTION

Urban Plank has greater stability than a solid timber floor and greatly reduces the risk of shrinkage and cupping issues

WAXED LOCKING JOINTS

Ensures smooth and efficient installation

EUROPEAN OAK

Durable, beautiful natural grain, sustainable

CAN BE RE- SANDED

Should you wish to refresh your floor, this range can be sanded back 1-2 times

MICRO BEVEL 4 SIDES

To achieve a staggered look | Defines planks

GENEROUS WARRANTIES

Urban Plank products have a 25 Year residential warranty, and a 5 Year commercial warranty

COMPATIBLE ON WALLS

Can be used as an aesthetic wall or ceiling

TECHNICAL

GENERAL

Structure: Engineered

Dimensions: 14mm x 190mm x 1900mm

Wear Layer: 3mm

Species: European Oak | **Core:** Pine

Edges: Micro Bevel 4 sides

FINISHES

BERGOLIN UV Lacquer | Matte Finish

CARE

Cleaning: Damp mop with approved cleaning solutions

Coating Maintenance: No maintenance required

NZBC PROTECTION FROM FIRE

C/V m2 Framework for Fire Safety

Design- ISO 9705 - Group 3 | **Radiant Flux-** 2.2 kW/M2

INSTALLATION

Under-floor heating: Compatible with most types

Joint System: UNILIN® Waxed locking joints

Installation Method: Glue down or floating

Re- sanding: Approx. 2-3 times

WARRANTY

5 Year Commercial | 25 Year Residential Warranty

CE CERTIFICATION EN14342 (2005)

Slip Rating: EN 1339: 2003

Thermal Conductivity: EN 12664: 2001

Breaking Strength: EN 1533: 2000

forté

— *Nature Refined*

0508 35 66 77 | +64 9 238 9911
info@forteflooring.co.nz | www.forteflooring.co.nz
3 Keith Place, Pukekohe, Auckland 2120. New Zealand