

# Urban.

## PLANK SPECIFICATION SHEET

Urban Collection Engineered Locking plank by Forté. 14mm thick, 190mm wide and 1.83m length. Glue down or floating installation method onto substrate. Pre-finished with Bona® Matte Lacquer.

### PRODUCT DETAILS

Collection	Urban
Product Type	Engineered Plank
Availability	Stocked
Total Thickness	14mm
Width	190mm
Length	1830mm
% of Shorts	Up to 17%
Wear Layer	3mm Solid French Oak
Core	Hevea
Backing	Spruce
Construction	3-layer Engineered
Re-sands	Approximately 1-2 (approx. 1mm removed per re-sand)
Surface Texture	Lightly Brushed
Surface Sheen	Extra Matte (Gloss level 8-12%)
Bevel	Micro-bevel 4 sides
Status	Pre-finished (no additional coats required)
Finish	Bona Matte Lacquer (7 coats)
Species	French Oak PEFC Certified
Wood Grade	Rustic

### WARRANTY

5 Year Commercial	For terms and conditions see
25 Year Residential	<a href="http://www.forte.co.nz/warranties">www.forte.co.nz/warranties</a>

### SUSTAINABILITY

PEFC Certified  
We re-plant what we use Visit [forte.co.nz/environmental](http://forte.co.nz/environmental)



Copenhagen




New York



Berlin



Tokyo



Milan

### INSTALLATION

Installation Method	Glue down (preferred) or floating ( <i>Double Stick for Multi-level</i> )
Suitable Substrates	Plywood, Particle Board, Concrete, existing timber - enquire for others
Joint Profile	Valinge 5G Locking
Suitable Applications	Flooring, Walls, Ceilings
Suitable Uses	Residential homes, hospitality, retail stores, restaurants, apartments
Underfloor Heating	Compatible with Hydronic Systems - enquire for others
Wet Area Suitability	Contact the Forté team for information 0508 35 66 77

### TECHNICAL SPECIFICATIONS

Reaction to Fire (Floors)	Critical Flux 5.0kW/m <sup>2</sup> (generic)
Reaction to Fire (Walls & Ceilings)	Group 3
Slip Ratings	59 (SRV dry)
Formaldehyde Emission	E1 (0.066mg/m <sup>3</sup> ) / No Added Formaldehyde
Wear Layer Density	700kg/m <sup>3</sup>


### PACK INFORMATION

Pack Size	2.086m <sup>2</sup>
Pieces per pack	5 full planks, 1 split plank
Pack Weight	18.4kg
Pack Dimensions	90mm H x 207mm W x 1845mm L

# Plank Profile

## URBAN PLANK

---



## URBAN – RUSTIC GRADE

---

A rustic grade plank embraces the timber's natural character within the plank. Permitted knots, cracks and features achieves an enhanced natural look. The planks may have unlimited colour and grain variation.

<b>Colour Variation</b>	Natural wood variation permitted
<b>Sapwood</b>	Permitted up to 20% of a board
<b>Sound Knots</b>	Permitted up to 40mm
<b>Filled Knots / Hollow knots</b>	Permitted up to 30mm
<b>Cracks / Checks</b>	Permitted up to 10mm
<b>Birds eye and mineral streak</b>	Unlimited
<b>Cats paw</b>	Permitted
<b>Slope of grain and medullary rays</b>	Permitted

# Care and Maintenance

## RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

---

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit [www.forte.co.nz/careandmaintenance](http://www.forte.co.nz/careandmaintenance)

# Warranty

## URBAN 25 YEAR RESIDENTIAL WARRANTY

---

The Urban Collection comes with a full 25 year Residential Warranty. For full warranty terms and conditions, please visit [www.forte.co.nz/warranties](http://www.forte.co.nz/warranties)

## URBAN 5 YEAR COMMERCIAL WARRANTY

---

The Urban Collection comes with a full 5 year Commercial Warranty. For full warranty terms and conditions, please visit [www.forte.co.nz/warranties](http://www.forte.co.nz/warranties)

# Installation

## THE URBAN COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

---

Please ensure that you have read and understood the installation guidelines before proceeding to install Urban timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit [www.forte.co.nz/installation](http://www.forte.co.nz/installation)